Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S34	520	708/290.ccls. 358/525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:08
S35	277	S34 and (linear$6 near3 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:08
S36	9	S35 and ((equal$5 or identical$5 or "same") near3 (value) with (combin$5 or single or one or join$5) near5 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:20
S37	2	"5678033".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:16
S38	26	S35 and (interpolat$5 near5 coordinate near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:20
S40	8	S35 and (interpolat$5 near5 coordinate near3 value) and (fraction$5 with (value or component or part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:28
S41	4	S35 and (adjacent near3 (value or component) near3 (equal$5 or identical$5 or "same") same interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:40
S42	13	(adjacent near3 (value or component) near3 (equal$5 or identical$5 or "same")) same (linear$5 near3 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:42
S43	3	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) same (linear$5 near3 interpolat$5) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:44
S44	0	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) and ((order$5 or sort$5) near3 linear$5 near3 interpolat$5) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:45

S45	217	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) and ((order$5 or sort$5) near6interpolat$5) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:45
S46	36	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:46
S47	0	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and S34 and 382/300. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:47
S48	3	((neighbor$5 or adjacent or consecutive$5) near3 (value or component) near3 (equal$5 or identical$5 or "same")) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and (S34 or 382/300. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:48
S49	66	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and (S34 or 382/300. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:49
S50	16	S49 and ((combin$5 or join$5 or simplif$6 or reduc$5 or pipelin$5) near5 calculat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:49
S51	31	("5428465").URPN.	USPAT	OR	ON	2005/10/21 10:00
S52	4	S51 and ((order$5 or sort$5) near3 interpolat$5)	USPAT	OR	ON	2005/10/21 10:11
S53	2	S51 and (fraction$5 with (zero or "0"))	USPAT	OR	ON	2005/10/21 10:13
S54	4	S49 and (fraction$5 with (zero or "0"))	USPAT	OR	ON	2005/10/21 10:56
S55	2	"20" and ((fraction$5 with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5)))	USPAT	OR	ON	2005/10/21 10:57
S56	520	708/290.ccls. 358/525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:57

S57	66	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and (S56 or 382/300. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:33
S58	0	S57 and ((fraction$5 with (zero or "0")) same ((terminat$5 or abort$5 or·stop$5) near4 (interpolat$5 or calculat$5)))	USPAT	OR	ON	2005/10/21 10:58
S59	88	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 (component or value or data or process$5 or calculat$5)) and (color near3 conver$5) and (S56 or 382/300.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:58
S60	0	S59 and ((fraction$5 with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5)))	USPAT	OR	ON	2005/10/21 10:58
S61	2	((fraction$5 with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5)))	USPAT	OR	ON	2005/10/21 11:00
S62	289	(((coordinate or value or fraction$5) with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5)))	USPAT	OR	ON	2005/10/21 11:00
S64	2	(((coordinate or value or fraction$5) with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5))) same (linear$5 near3 interpolat$5)	USPAT	OR	ON	2005/10/21 11:00
S65	2	(((coordinate or value or fraction$5) with (zero or "0")) same ((terminat$5 or abort$5 or stop$5) near4 (interpolat$5 or calculat$5))) and (linear$5 near3 interpolat$5) and S56	USPAT	OR	ON	2005/10/21 11:01
S66	0	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and ((terminat$5 or stop$5 or abort$5) near3 condition near5 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:34
S67	1	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 interpolat$5) and (color near3 conver$5) and ((terminat$5 or stop$5 or abort$5) near5 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:35
S68	0	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 (coordinate near3 value)) and (color near3 conver$5) and ((terminat$5 or stop$5 or abort$5) near5 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:35

S69	28	(linear$5 near3 interpolat$5) and ((order$5 or sort$5) near6 (coordinate near3 value)) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 13:51
S70	5	(linear$5 near3 interpolat$5) and ((sort$5) near6 (coordinate near3 value)) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:36
S72	7	(linear$5 near3 interpolat$5) same ((order$5 or sort$5) near6 (coordinate near3 value)) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 13:52
S73	13	(interpolat$5) same ((order$5 or sort$5) near6 (coordinate near3 value)) and (color near3 conver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 13:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4	((sequential$5 or consecutive$5 or ordered) near3 (interpolat$5)) same (coordinate) same (contribut$5 or weight$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:14
S3	75	((sequential$5 or consecutive$5 or ordered) near3 (interpolat$5)) same (coordinate).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:16
S4	10	S3 and ((combin$5 or single or one or join$5) near5 interpolat$5 with ("same" or equal$6 or identical$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:52
S5	3	S3 and ((combin$5 or join$5) near5 (single or one) near5 interpolat$5 with ("same" or equal$6 or identical$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:02
S6	0	((combin$5 or join$5) near5 (single or one) near5 interpolat$5 near4 calculat$5 with ("same" or equal$6 or identical$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:03
S7	9	((combin$5 or join$5) near5 (single or one) near5 interpolat$5 near4 calculat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:05
S8	164	((combin$5 or join$5) near5 interpolat$5 near4 calculat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:18
S10	49	((combin$5 or join$5) near5 interpolat$5 near4 calculat$5) and (linear$6 near3 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:20
S11	5	((combin$5 or join$5) near5 interpolat$5 near4 calculat$5) and (linear$6 near3 interpolat$5) and (interpolat$5 with axis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:30
S12	9	((combin$5 or join$5) near5 interpolat$5 near4 calculat$5) and (linear$6 near3 interpolat$5) and ((efficien$5 or simplif$7) near3 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:32

S13	95	(fraction$5 with interpolat$5) and (linear$6 near3 interpolat$5) and ((efficien$5 or simplif$7) near3 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:32
S14	13	(fraction$5 with interpolat$5) and (linear$6 near3 interpolat$5) and ((efficien$5 or simplif$7) near3 interpolat$5) and ((identical$5 or equal$5 or "Same") near4 fraction$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:34
S15	0	(fraction$5 with interpolat$5) and (linear$6 near3 interpolat$5) and ((efficien$5 or simplif$7) near3 interpolat$5) and ((identical$5 or equal$5 or "Same") near4 fraction$5 near3 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:34
S16	19	(fraction$5 with interpolat$5) and (linear$6 near3 interpolat$5) and ((efficien$5 or simplif$7) near3 interpolat$5) and ((identical$5 or equal$5 or "Same") near4 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:37
S17	0	(linear$6 near3 interpolat$5) same ((simplif$9) near3 calculat$5) same (combin$5 or join$5) same ((identical$5 or "same" or equal$5) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:38
S18	0	(linear$6 near3 interpolat$5) same ((simplif$9)) same (combin$5 or join$5) same ((identical$5 or "same" or equal$5) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:39
S19	2	(linear$6 near3 interpolat$5) same (combin$5 or join$5) same ((identical$5 or "same" or equal$5) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:46
S20	302	(linear$6 near3 interpolat$5) same (combin$5 or join$5) same ((identical$5 or "same" or equal$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:41
S21	5	S20 and ((fraction$5) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:41
S22	0	(linear$6 near3 interpolat$5) same ((end$5 or terminat$5) near3 condition with (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:47

S23	10	(linear$6 near3 interpolat$5) same ((end$5 or terminat$5) near3 condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:48
S24	78	(linear$6 near3 interpolat$5) same ((end$5 or terminat$5) near5 (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:49
S25	83	(linear$6 near3 interpolat$5) same ((end$5 or terminat$5 or stop$5) near5 (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:49
S26	2	(linear$6 near3 interpolat$5) same ((end$5 or terminat$5 or stop$5) near5 calculat$5 near3 (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:50
S27	18	(linear$6 near3 interpolat$5) and ((end$5 or terminat$5 or stop$5) near5 calculat$5 near3 (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:51
S28	13	(linear$6 near3 interpolat$5) and (order$5 near5 interpolat$5) and ((end$5 or terminat$5 or stop$5) near5 calculat$5 near3 (zero or "0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:51
S29	9	(linear$6 near3 interpolat$5) and (((sort$5 or order$5) near5 interpolat$5) same ((end$5 or terminat$5 or stop$5) near5 calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((combin$5) near3 interpolat$5 near3 calculation) same ((similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component)) and (coordinate same interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:18
L2	0	((combin$5) near3 interpolat$5 near3 calculation) same ((similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:18
L3	6	((combin$5) near3 interpolat$5) same ((similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:21
L4	2	"4901266".pn. and (equal same coordinate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:20
L5	217	((term or coordinat$6 or component) near3 interpolat$5) same ((similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:21
L6	41	((term or coordinat$6 or component) near3 interpolat$5) same ((similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component)) and ((simplif$6 or reduc$5) near5 interpolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:23
L7	55	(interpolat$5) same ((detect$5 or determin$6 or judg$5) near5 (similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:24
L8	11	(linear$6 near3 interpolat$5) same ((detect$5 or determin$6 or judg$5) near5 (similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:26
L9	0	(linear$6 near3 interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component)) same ((combin$5 or join$5) near5 calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:27

L10	10	(linear$6 near3 interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (similar$5 or identical$5 or equal$5) near3 (term or coordinat$6 or component)) and ((combin$5 or join$5) near5 calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:29
L11	1	(linear$6 near3 interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (identical$5 or equal$5) near3 (term or coordinat$6 or component)) and ((combin$5 or join$5) near5 calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:29
L12	12	(interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (identical$5 or equal$5) near3 (term or coordinat$6 or component)) and ((combin$5 or join$5) near5 calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:31
L13	244	(interpolat$5) and ((detect$5 or determin$6 or judg$5) near5 (identical$5 or equal$5) near3 (term or coordinat$6 or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:40
L14	34	13 and ((sort$5 or order) near3 (term or coordinate or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:41
L16	75	(interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (identical$5 or equal$5) near3 (term or coordinat$6 or component)) same (one or single))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:05
L17	6	16 and ((sort$5 or order) near3 (term or coordinate or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:50
L18	0	17 and ((fraction$5 or decimal) near5 (term or coordinate or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:51
L19	6	16 and ((fraction$5 or decimal) near5 (term or coordinate or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:51
L20	7	(interpolat$5) and (((detect$5 or determin$6 or judg$5) near5 (identical$5 or equal$5) near3 (fraction$5 or decimal)) same (one or single))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:06